



NOTICE OF AWARD

April 10, 2021

MR. SAMMY C. ALOMBRO
Authorized Representative
INSTRUMIX SUPPLIER INC.

Unit 433/434 Cityland Pasong Tamo Tower,
2210 Chino Roces Avenue, Makati City

Dear Sir:

This is to inform you that your bid proposal for **PROCUREMENT OF FOOD CHEMISTRY EQUIPMENT** which shall be funded under **General Fund** after having been post-qualified and declared to have obtained the Lowest Calculated Responsive Bid, has been recommended for award by the Bids and Awards Committee (BAC) of Central Mindanao University by virtue of **BAC Resolution No. GF-21-PB-26**, and the same has been approved by the Central Mindanao University thru the undersigned at the amount of **Two Million Four Hundred Seventy Thousand Only (Php2,470,000.00)**. You are hereby requested to manifest your acceptance of this Notice of Award.

Relative thereto, and in accordance with the provisions of the documents and Revised R.A. No. 9184, otherwise known as the Government Procurement Reform Act and its Implementing Rules and Regulations, you are hereby instructed to submit the following documents with ten (10) calendar days from the date of your receipt of this Notice of Award to within:

A. PERFORMANCE SECURITY

This is to be posted in favor of the Central Mindanao University, in the form of cash, manager's check, cashier's check, bank draft/guarantee confirmed by local bank, irrevocable letter of credit issued by a reputable bank, surety bond callable upon demand, issued by the Government Service Insurance System or any reputable surety or insurance company duly accredited by the Office the Insurance Commissioners, or a combination thereof IN ACCORDANCE with the following schedule:


FORM OF PERFORMANCE SECURITY	AMOUNT OF PERFORMANCE SECURITY (EQUAL TO PERCENTAGE OF THE TOTAL CONTRACT PRICE)
Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security; and/or	Thirty percent (30%)
Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Within the same period of ten (10) days as indicated above, you are directed to enter into and execute the Goods Contract with the University.

This Performance Security shall be forfeited in favor to Central Mindanao University in the event of default on your part in the performance of any of your obligations under the Contract.

Finally, it must be noted that you shall not commence the work nor initiate the procurement of materials for the project prior to your receipt of the Notice to Proceed.

Very truly yours,



JESUS ANTONIO G. DERUJ
President

Received, Acknowledged and Accepted:

Name: Sammy Alombro

Signature: 

Date: 05/28/2021



CONTRACT OF AGREEMENT

REF. NO. -GF-21-PB-21

THIS AGREEMENT made this 4th day of June 2021 between CENTRAL MINDANAO UNIVERSITY of the Philippines (hereinafter called "the Entity") of the one part and **INSTRUMIX SUPPLIER INC.** at Unit 433/434 Cityland Pasong Tamo Tower, 2210 Chino Roces Avenue, Makati City (hereinafter called "the Supplier") of the other part:

Whereas, the Entity invited Bids for certain goods and ancillary services, viz., **PROCUREMENT OF FOOD CHEMISTRY EQUIPMENT** and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of Two Million Four Hundred Seventy Thousand Only (Php2,470,000.00) with the items listed below:

ITEM	UNIT	QTY	DESCRIPTION	OFFER	UNIT PRICE	TOTAL AMOUNT
1	Unit	1	Analytical Balance , with complete accessories, with free after sales service, 1-2 years warranty, not made in China (branded) with 220V, weighing capacity: 220 grams, readability: 0.0001 gram, span size: 100mm diam. repeatability: 0.07 mgsensitivity: 1ppm/ C in, Stabilization , time: 2 sec.temperature: 10 C - 40 C, display: 5" capacitive colour panel touchscreen, communication interface: 2xRS 232, USB A, USB B, Wireless connection, database capacity: 7, power consumption: 250 Ma, Touchless operation: 2 IR sensors calibration and adjustments: internal with AVR; with supply, delivery, installation and commisioning	SHIMADZU UniBloc Analytical Balance Model: ATX224-R Capacity:220 grams Readability: 0.0001gram Repeatability (standard deviation,σ) :≤0.0001 gram Linearity: ±0.0002 gram Pan size approx.:91diameter mm Power requirement:220-240V Automatic calibration Standard three-door glass wind-breaking housing Features: UniBloc engineered weighing technology w/ internal Calibration Digital LCD display Stability to response ration setting Multi-weight units/modes/applicat ions overload protection Mechanism RS232 direct interface to computer No software needed AVR Warranty 2 years in Parts and Services	2,470,000.00	2,470,000.00
2	Unit	1	Refrigerated Centrifuge , RPM to 3750, it runs smooth and quiet. The centrifuge does chill. The lid release functions but we could not get the lid to	Refrigerated centrifuge Brand:Thermo Scientific™Heraeus™Fresco™21 microcentrifuge CAT# 75002425		

			<p>stay in the up position on its own. It comes with two rotors, tube buckets, and the operations manual; with supply, delivery, installation and commissioning</p>	<p>Rotor capacity: 24 placer or higher Tube capacity: 1.5/2.0ML Max speed:14,800rpm Max rcf 21,000*g Type: benchtype refrigerated centrifuge Includes: 24x1.5/2.0ml rotor w/ clickseal biocontainment lid</p>		
3	Unit	1	<p>Spectrophotometer:The rmo Scientific™ Evolution™ 350 UV-Vis Spectrophotometer Evolution 350 UV-Vis Spectrophotometer with Mercury lamp, Xenon Flash Lamp Typical Lifetime: >5 years. Longer if not using live signal, Warranty Period: 3 year source replacement warranty, Low pressure mercury vapor lamp, Used when performing performance verification (PV) tests for wavelength accuracy and spectral bandwidth with UV-vis solid sample holder 884.5 for use with Thermo Scientific™ Evolution™ 300 and 600 Spectrophotometers Provides easy mounting of solid samples like filters, plastic, glass and optics. Accommodates standard 2 x 3 in. sample holders; with supply, delivery, installation and commissioning</p> <p>Other Specification Added</p> <p>1 SET Desktop Computer with Ink Jet Printer</p> <p>Intel Core i7 (10700)</p> <p>2.90 Ghz 16M Cache up to 4.80Ghz/NVIDIA GeForce GTX 1650 Super 4GB GDDR5/8GB, 1.8GB, DDR4,2666MHZ/512 GB SSD/Windows 10 pro,24-inch IPS LED Monitor same brand of that CPU, wireless keyboard and mouse, with 4 pcs rechargeable battery and</p>	<p>Shimadzu UV-Vis Spectrophotometry Model: UV-2600i Features:</p> <ul style="list-style-type: none"> -Capable of a measurement Wavelength up to 1400nm -Standalone/or PC Controlled -Equipped w/ a single monochromator, providing low noise performance across a wide wavelength range -Validation Software provided as standard to support GLP/GMP -Compact and User-friendly -With a wealth Accessories, accommodates every application -Achieves 10% Power Saving in Comparison to Conventional Models <p>Specification: - Measurements Wavelength-185nm to 900nm : Spectral Bandwidth- 0.1/0.2//0.5/1/2/5nm L2/L5 (low stray-light mode) : Wavelength Setting- 0.1 nm increments (1nm increments when setting scanning range Wavelength Scanning Speed- Wavelength slew rate: about 14000nm/min Wavelength scan rate:about 4000 to 0.5nm/min : Lamp interchange wavelength Auto switching synchronized w/ wavelength, switching range selectable between 290 and 370 nm (0.1 nm</p>		

		<p>charger with License Microsoft Office UPS and AVR 500 watts Servo controller</p> <p>Other Specifications to be added</p> <ul style="list-style-type: none"> • Photometric System: Double beam optics • Wavelength range: 185-900nm (up to 1400 when Integrating Sphere accessory is attached) • Spectral bandwidth: 0.1, 0.2, 0.5, 1, 2, 5nm • Photometric range -5 to 5 Abs • Baseline stability: 0.0002 Abs/h or less (700nm) • Baseline flatness: $w/n \pm 0.0003$ Abs (200 to 860nm) • Noise Level: 0.00003 Abs or Less (500nm) • Detector Photomultiplier <p>Accessories included: film holder and integrating sphere for solid stamps</p>	<p>increments) : Photometric System- Double Beam System Czerny-Turner mounting Single monochromator Lo-Ray-Ligh grade blazed holographic grating: Light Source- 50-W halogen lamp and deuterium lamp. Built in light source auto position adjustment : Detector-R-928 photomultiplier : Photometric Modes - Absorbance (Abs), Transmittance (%), reflectance (%), energy (E) Shimadzu UV Workstation 1. UVProbe Software All-in-One Software UVProbe is an all-in-one software package equipped w/ the following four functions: -Spectrum module -Photometric Module (quantitation) -Kinetics Module (time-course measurement) -Report Generator Each can be easily operated from its own special screen. In addition to a wealth of data processing functions, including peak detection and area calculations, the software is equipped w/ security functions to configure operational authority user by user, as well as data audit trail and equipment audit trail functionality. Includes 6 pcs. 10nm Silica Quarts Cuvettes. 2. Complete PC System Desktop and Inkjet Printer Intel Core i7-(10700) 2.90 Ghz 16M Cache up to 4.80GHz/NVIDIA GeForce GTX 1650 Super 4GB GDDR5/8GB, 1.8 GB DDDR4, 2666MHZ/512 GB SSD/Windows 10 pro, 24-inch IPS LED Monitor same brand of the CPU, wireless</p>		
--	--	---	--	--	--

				keyboard and mouse, w/ 4 pcs rechargeable battery and charger, w/ License Microsoft office, UPS & AVR 500 watts Servo controller 3. Film Holder and Integrating Sphere for solid sample. Shimadzu Integrating Sphere Model: ISR- 2600 Plus 2 4. 1 pc. Deuterium Lamp and 1pc. Halogen Lamp.		
1	Unit	1	Open-Air Shaker: 230V/ 50/60 Hz; speed range 50-1500 rpm; heating surface 7.25" x 7.25"; over-all dimensions 8.2" W x 13" H x 3.8" H (20.8 x 33 x 9.7 cm) or its equivalent; with supply, delivery, installation and commisioning	Open Air Shaker Brand: Thermo Scientific ™Solaris™ Open Air Orbital Shaker SK2000 Speed Range-15 to 525 rpm Control-Touch Screen Humidity Range: 20 to 80% non- condensing Operating conditions: 5 to 40 degree Celsius Includes: 12"x14in. (30.5x35.56cm universal platform Comes w/ Complete: 9 clamp for 250ml flask.		
					GRAND TOTAL	2,470,000.00

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and construed as part of this agreement, viz,
 - (a) the Bid Form and the Price Schedule submitted by the Bidder;
 - (b) the Schedule of Requirements;
 - (c) the Technical Specifications;
 - (d) the General Conditions of Contract;
 - (e) the Special Conditions of Contract; and,
 - (f) the Entity's Notification of Award.
3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract.

4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

The Common Seal of CMU, Musuan, Bukidnon was herein affixed in the presence of **DR. JESUS ANTONIO G. DERIJE**

Signed, sealed, and delivered by **INSTRUMIX SUPPLIER, INC.** in the presence of **SAMMY C ALOMBRO**.

Binding Signature of Entity:

[Handwritten Signature]
JESUS ANTONIO G. DERIJE
 President

Binding Signature of Supplier:

[Handwritten Signature]
SAMMY C. ALOMBRO
 Authorized Representative

Witness:

MARIA JAMELLAH CELESTE M. MAGALONA
 Chief, Accounting Unit

ACKNOWLEDGEMENT

REPUBLIC OF THE PHILIPPINES)
 PROVINCE OF BUKIDNON) s.s.
 MUNICIPALITY OF **DAVAO CITY**

JUN 04 2021

BEFORE ME, a Notary Public for in the above jurisdiction, on this _____ day of _____ at _____ personally appeared the following, exhibiting to me following described Competent Evidence of Identity (CEI) in accordance with the 20m Rules on Notarial Practice.

Name	Competent Evidence of Identity	Date/place Issued
JESUS ANTONIO G. DERIJE		
SAMMY C. ALOMBRO	Driver's License	July 5, 2021 / Davao City

Known to me to be the same person who executed the foregoing instrument and who acknowledge to me that the same is their free and voluntary act and deed.

This instrument refers to the Contract of Agreement consisting of (3) pages including this page, signed by the parties and their witnesses on each and every hereof and thereof, including this page whereon the acknowledgement is written.

JUN 04 2021

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed on every page hereof my notarial seal this _____ day of _____ in the Municipality of **DAVAO CITY** province of _____.

Doc. No. 509
 Page No. 109
 Book No. 109
 Series of 2021

ATTY. RALPH JAMES G. LAMAN
 Notary Public for Davao City
 Until December 31, 2021
 Commission Serial No. 2020-096-2021
 Issued on December 19, 2019
 Roll No. 62810
 IBP No. on process - 12/14/2020
 PTR No. 4792645 - 12/14/2020
 MCLE Compliance No. V-0021408
 Issued on March 05, 2019 at Pasig City, Philippines



CONTRACT OF AGREEMENT

REF. NO. -GF-21-PB-21

THIS AGREEMENT made this _____ between CENTRAL MINDANAO UNIVERSITY of the Philippines (hereinafter called "the Entity") of the one part and **INSTRUMIX SUPPLIER INC.** at Unit 433/434 Cityland Pasong Tamo Tower, 2210 Chino Roces Avenue, Makati City (hereinafter called "the Supplier") of the other part:

Whereas, the Entity invited Bids for certain goods and ancillary services, viz., **PROCUREMENT OF FOOD CHEMISTRY EQUIPMENT** and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of *Two Million Four Hundred Seventy Thousand Only (Php2,470,000.00)* with the items listed below:

ITEM	UNIT	QTY	DESCRIPTION	OFFER	UNIT PRICE	TOTAL AMOUNT
1	Unit	1	Analytical Balance , with complete accessories, with free after sales service, 1-2 years warranty, not made in China (branded) with 220V, weighing capacity: 220 grams, readability: 0.0001 gram, span size: 100mm diam. repeatability: 0.07 mgsensitivity: 1ppm/ C in, Stabilization , time: 2 sec.temperature: 10 C - 40 C, display: 5" capacitive colour panel touchscreen, communication interface: 2xRS 232, USB A, USB B, Wireless connection, database capacity: 7, power consumption: 250 Ma, Touchless operation: 2 IR sensors calibration and adjustments: internal with AVR; with supply, delivery, installation and commisioning	SHIMADZU UniBloc Analytical Balance Model: ATX224-R Capacity:220 grams Readability: 0.0001gram Repeatability (standard deviation,σ) :≤0.0001 gram Linearity: ±0.0002 gram Pan size approx.:91diameter mm Power requirement:220-240V Automatic calibration Standard three-door glass wind-breaking housing Features: UniBloc engineered weighing technology w/ internal Calibration Digital LCD display Stability to response ration setting Multi-weight units/modes/applicat ions overload protection Mechanism RS232 direct interface to computer No software needed AVR Warranty 2 years in Parts and Services	2,470,000.00	2,470,000.00
2	Unit	1	Refrigerated Centrifuge , RPM to 3750, it runs smooth and quiet. The centrifuge does chill. The lid release functions but we could not get the lid to	Refrigerated centrifuge Brand:Thermo Scientific™Heraeus™Fresco™21 microcentrifuge CAT# 75002425		

			<p>stay in the up position on its own. It comes with two rotors, tube buckets, and the operations manual; with supply, delivery, installation and commissioning</p>	<p>Rotor capacity: 24 placer or higher Tube capacity: 1.5/2.0ML Max speed: 14,800rpm Max rcf 21,000xg Type: benchtype refrigerated centrifuge Includes: 24x1.5/2.0ml rotor w/ clickseal biocontainment lid</p>		
3	Unit	1	<p>Spectrophotometer:The rmo Scientific™ Evolution™ 350 UV-Vis Spectrophotometer Evolution 350 UV-Vis Spectrophotometer with Mercury lamp, Xenon Flash Lamp Typical Lifetime: >5 years. Longer if not using live signal, Warranty Period: 3 year source replacement warranty, Low pressure mercury vapor lamp, Used when performing performance verification (PV) tests for wavelength accuracy and spectral bandwidth with UV-vis solid sample holder 884.5 for use with Thermo Scientific™ Evolution™ 300 and 600 Spectrophotometers Provides easy mounting of solid samples like filters, plastic, glass and optics. Accommodates standard 2 x 3 in. sample holders; with supply, delivery, installation and commissioning</p> <p>Other Specification Added</p> <p>1 SET Desktop Computer with Ink Jet Printer</p> <p>Intel Core i7 (10700)</p> <p>2.90 Ghz 16M Cache up to 4.80Ghz/NVIDIA GeForce GTX 1650 Super 4GB GDDR5/8GB, 1.8GB, DDR4,2666MHZ/512 GB SSD/Windows 10 pro,24- inch IPS LED Monitor same brand of that CPU, wireless keyboard and mouse, with 4 pcs rechargeable battery and</p>	<p>Shimadzu UV-Vis Spectrophotometry Model: UV-2600i Features: -Capable of a measurement Wavelength up to 1400nm -Standalone/or PC Controlled -Equipped w/ a single monochromator, providing low noise performance across a wide wavelength range -Validation Software provided as standard to support GLP/GMP -Compact and User- friendly -With a wealth Accessories, accommodates every application -Achieves 10% Power Saving in Comparison to Conventional Models Specification: - Measurements Wavelength-185nm to 900nm : Spectral Bandwidth- 0.1/0.2//0.5/1/2/5nm L2/L5 (low stray-light mode) : Wavelength Setting- 0.1 nm increments (1nm increments when setting scanning range Wavelength Scanning Speed- Wavelength slew rate: about 14000nm/min Wavelength scan rate:about 4000 to 0.5nm/min : Lamp interchange wavelength Auto switching synchronized w/ wavelength, switching range selectable between 290 and 370 nm (0.1 nm</p>		

		<p>charger with License Microsoft Office UPS and AVR 500 watts Servo controller</p> <p>Other Specifications to be added</p> <ul style="list-style-type: none"> • Photometric System: Double beam optics • Wavelength range: 185-900nm (up to 1400 when Integrating Sphere accessory is attached) • Spectral bandwidth:0.1,0.2,0.5,1,2,5nm • Photometric range -5 to 5 Abs • Baseline stability:0.0002 Abs/h or less (700nm) • Baseline flatness:w/n± 0.0003 Abs(200 to 860nm) • Noise Level: 0.00003 Abs or Less(500nm) • Detector Photomultiplier <p>Accessories included: film holder and integrating sphere for solid stamps</p>	<p>increments) : Photometric System-Double Beam System Czerny-Turner mounting Single monochromator Lo-Ray-Ligh grade blazed holographic grating: Light Source-50-W halogen lamp and deuterium lamp. Built in light source auto position adjustment : Detector-R-928 photomultiplier : Photometric Modes - Absorbance (Abs), Transmittance (%), reflectance (%), energy (E) Shimadzu UV Workstation 1.UVProbeSoftware All-in-One Software UVProbe is an all-in-one software package equipped w/ the following four functions: -Spectrum module -Photometric Module (quantitation) -Kinetics Module (time-course measurement -Report Generator Each can be easily operated from its own special screen. In addition to a wealth of data processing functions, including peak detection and area calculations, the software is equipped w/ security functions to configure operational authority user by user, as well as data audit trail and equipment audit trail functionality. Includes 6 pcs. 10nm Silica Quarts Cuvettes. 2. Complete PC System Desktop and Inkjet Printer Intel Core i7-(10700) 2.90 Ghz 16M Cache up to 4.80GHz/NVIDIA GeForce GTX 1650 Super 4GB GDDR5/8GB, 1.8 GB DDDR4, 2666MHZ/512 GB SSD/Windows 10 pro,24-inch IPS LED Monitor same brand of the CPU, wireless</p>		
--	--	---	--	--	--

				<p>keyboard and mouse, w/ 4 pcs rechargeable battery and charger, w/ License Microsoft office, UPS & AVR 500 watts Servo controller</p> <p>3. Film Holder and Integrating Sphere for solid sample. Shimadzu Integrating Sphere Model: ISR-2600 Plus 2</p> <p>4. 1 pc. Deuterium Lamp and 1pc. Halogen Lamp.</p>		
1	Unit	1	<p>Open-Air Shaker: 230V/ 50/60 Hz; speed range 50-1500 rpm; heating surface 7.25" x 7.25"; over-all dimensions 8.2" W x 13" H x 3.8" H (20.8 x 33 x 9.7 cm) or its equivalent; with supply, delivery, installation and commissioning</p>	<p>Open Air Shaker Brand: Thermo Scientific TM Solaris™ Open Air Orbital Shaker SK2000 Speed Range-15 to 525 rpm Control-Touch Screen Humidity Range: 20 to 80% non-condensing Operating conditions: 5 to 40 degree Celsius Includes: 12x14in. (30.5x35.56cm universal platform Comes w/ Complete: 9 clamp for 250ml flask.</p>		
GRAND TOTAL					2,470,000.00	

NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and construed as part of this agreement, viz,
 - (a) the Bid Form and the Price Schedule submitted by the Bidder;
 - (b) the Schedule of Requirements;
 - (c) the Technical Specifications;
 - (d) the General Conditions of Contract;
 - (e) the Special Conditions of Contract; and,
 - (f) the Entity's Notification of Award.
3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract.



4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

The Common Seal of CMU, Musuan, Bukidnon was herein affixed in the presence of **DR. JESUS ANTONIO G. DERIJE**

Signed, sealed, and delivered by **INSTRUMIX SUPPLIER, INC.** in the presence of **SAMMY C ALOMBRO**.

Binding Signature of Entity:

[Handwritten Signature]
JESUS ANTONIO G. DERIJE
 President

Binding Signature of Supplier:

[Handwritten Signature]
SAMMY C. ALOMBRO
 Authorized Representative

Witness:

MARIA JAMELLAH CELESTE M. MAGALONA
 Chief, Accounting Unit

ACKNOWLEDGEMENT

REPUBLIC OF THE PHILIPPINES)
 PROVINCE OF BUKIDNON) s.s.
 MUNICIPALITY OF **DAVAO CITY**

JUN 04 2021

BEFORE ME, a Notary Public for in the above jurisdiction, on this _____ day of _____ at _____ personally appeared the following, exhibiting to me following described Competent Evidence of Identity (CEI) in accordance with the 20m Rules on Notarial Practice.

Name	Competent Evidence of Identity	Date/place Issued
JESUS ANTONIO G. DERIJE		
SAMMY C. ALOMBRO	Driver's License	July 5, 2021 / Davao City

Known to me to be the same person who executed the foregoing instrument and who acknowledge to me that the same is their free and voluntary act and deed.

This instrument refers to the Contract of Agreement consisting of (3) pages including this page, signed by the parties and their witnesses on each and every hereof and thereof, including this page whereon the acknowledgement is written.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed on every page hereof my notarial seal this **JUN 04 2021** day of _____ in the Municipality of **DAVAO CITY**, Province of _____.

Doc. No. 509
 Page No. 109
 Book No. 104
 Series of 2021

ATTY. RALPH JAMES G. LAMAN
 Notary Public for Davao City
 Until December 31, 2021
 Commission Serial No. 2020-096-2021
 Issued on December 19, 2019
 Roll No. 62810
 IBP No. on process - 12/14/2020
 PTR No. 4792645 - 12/14/2020
 MCLE Compliance No. V-0021408
 Issued on March 05, 2019 at Pasig City, Philippines