



Republic of the Philippines
 CENTRAL MINDANAO UNIVERSITY
 Bids and Awards Committee
 University Town, Musuan, Maramag, Bukidnon
 E-mail: bac@cmu.edu.ph

NOTICE OF AWARD

Mr. Van William L. Co
 Authorized Representative
**OMNIBUS BIO-MEDICAL
 SYSTEMS, INC.**
 San Juan City, Metro Manila,
 NCR, Philippines

Dear Sir:

This is to inform you that your bid proposal for the **PROCUREMENT OF LABORATORY EQUIPMENT AND SUPPLIES** which shall be funded under **Trust Fund** after having been post-qualified and declared to have obtained the Lowest Calculated Responsive Bid, has been recommended for award by the Bids and Awards Committee (BAC) of Central Mindanao University by virtue of **BAC Resolution No TF-21-PB-78**, and the same has been approved by the Central Mindanao University thru the undersigned at the amount of **Two Million One Hundred Thirty Five Thousand Three Hundred Fifty Pesos Only (Php2,135,350.00)** For **LOT 1**. You are hereby requested to manifest your acceptance of this Notice of Award.

Relative thereto, and in accordance with the provisions of the documents and Revised R.A. No. 9184, otherwise known as the Government Procurement Reform Act and its Implementing Rules and Regulations, you are hereby instructed to submit the following documents with ten (10) calendar days from the date of your receipt of this Notice of Award to within:

A. PERFORMANCE SECURITY

This is to be posted in favor of the Central Mindanao University, in the form of cash, manager's check, cashier's check, bank draft/guarantee confirmed by local bank, irrevocable letter of credit issued by a reputable bank, surety bond callable upon demand, issued by the Government Service Insurance System or any reputable surety or insurance company duly accredited by the Office the Insurance Commissioners, or a combination thereof IN ACCORDANCE with the following schedule:


FORM OF PERFORMANCE SECURITY	AMOUNT OF PERFORMANCE SECURITY (EQUAL TO PERCENTAGE OF THE TOTAL CONTRACT PRICE)
Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security; and/or	Thirty percent (30%)
Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Within the same period of ten (10) days as indicated above, you are directed to enter into and execute the Goods Contract with the University.

This Performance Security shall be forfeited in favor to Central Mindanao University in the event of default on your part in the performance of any of your obligations under the Contract.


Finally, it must be noted that you shall not commence the work nor initiate the procurement of materials for the project prior to your receipt of the Notice to Proceed.

Very truly yours,



JESUS ANTONIO G. DERIJE
President

Received, Acknowledged and Accepted:

Name: ZADEL A. STANU
Signature: 
Date: 10-5-21



Republic of the Philippines
 CENTRAL MINDANAO UNIVERSITY
 Bids and Awards Committee
 University Town, Musuan, Maramag, Bukidnon
 E-mail: bac@cmu.edu.ph

CONTRACT OF AGREEMENT


REF. NO. -TF-21-PB-78

THIS AGREEMENT made this APR 8 0 2021 between CENTRAL MINDANAO UNIVERSITY of the Philippines (hereinafter called "the Entity") of the one part and **OMNIBUS BIO-MEDICAL SYSTEMS, INC.** at San Juan City, Metro Manila, NCR, Philippines (hereinafter called "the Supplier") of the other part:

Whereas, the Entity invited Bids for certain goods and ancillary services, viz., **PROCUREMENT OF LABORATORY EQUIPMENT AND SUPPLIES** and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of **Two Million One Hundred Thirty Five Thousand Three Hundred Fifty Pesos Only (Php2,135,350.00) For LOT 1** with the items listed below:


ITEM	UNIT	QTY	DESCRIPTION	OFFER	UNIT PRICE	TOTAL AMOUNT
1	set	1	<p>Upright Microscope with monitor (BX53) Branded brand new research microscope BX53 with 1 unit XCAM4K camera, 1 pc U-TV0.5XC-3 c mount video attachment, 1 unit i5 laptop, 1 antivirus, 1 unit Microsoft office, 1 unit voltage regulator and 1 unit uninterruptible power supply.</p> <p>Branded brand new research microscope BX53 features: UIS2 optical system; FN22 (Panoramic view); Y shape design; Light intensity manager; LED light source with 50,000 hours; 2 specimen holder; Front access controls; Adaptable to coded hard waves; Light source can adapt up to 18 multiheader set up; Low position stage handle; Built-in Koehler illumination; Light preset switch; 25mm stage stroke course adjustment & High sensitivity fine focusing knob (min. 1um graduations); BX53F2 Microscope frame; U-TR30-2 Trinocular tube; U-5RE-2 Quintuple Revolving Nosepiece; U-SVRB-4 Ceramic surface mechanical stage with right-hand low drive control; (Long type) U-HLDT-4 Specimen holder for BX stage, left hand, for two specimens; thick type U-SC3 Swing out condenser N.A. 0.9- 0.16; U-LHLEDC100 High power LED lamp housing; 46S-LBA4 LBA filter; UYCP Power cord; BX3-ARM Transmitted arm for BX53F and BX63F frame including ABSK5X30 screw (4pcs.), allen wrench AD6162 and shield sticker JA4565 (4 pcs.) Corresponded to RoHS regulation BX3-SHEAS tage handle extension adapter; U-SHGR ubber caps for BX stage knobs, including for X-axis knob (1 pc.) and for Y-axis knob (1 pc.), thin type; U-SHGR ubber caps for BX stage knobs, including for X-axis knob (1 pc.) and for Y-axis knob (1 pc.), thick type; COVER-018 Dust cover Type 018 for BX2 (L 510mm x W 320mm x H 530 mm); PLN4X Plan achromat objective 4X/0.1, WD 18.5; PLN10X Plan achromat objective 10X/0.25, WD 10.6; PLN20X Plan achromat objective 20X/0.4, WD 1.2 (spring); PLN40X Plan</p>	Brand: OLYMPUS Model: BX53 Origin:Japan	649,000.00	649,000.00

			<p>achromat objective 40X/0.65, WD 0.6 (spring); PLN100XO Plan achromat objective 100X/1.25, WD 0.15 (spring, oil); WHN10X Widefield eyepiece 10X; WHN10X-H Widefield eyepiece 10X, focusable; Immersion oil 10ml</p> <p>Accessories: Microscope Camera TOUPTEK MODEL: XCAM4K; with features: Sony Exmor CMOS sensor; 4K HDMI/GE/WLAN multiple video outputs; 4K/1080P auto switching according to the display resolution; SD card/USB flash disk for the captured image and video storage; Embedded XCAMView for the control of the camera; With strong ISP and other related processing functions; ToupView/ToupLite software for PC; IOS/Android applications for smart phones or tablets; Windows/Linux/macOS/Android multiple platforms SDK. Camera specifications: Interface & Button Functions: USB Mouse: Connect USB mouse for easy operation of the embedded XCAMView software; USB3.0: Connect USB flash disk for image or video storage; Connecting 5G WLAN adapter as WLAN camera in AP or STA mode; HDMI: Comply with HDMI2.0 standard. 4K/1080P format video output and supporting auto switching between 4K and 1080P format according to the connected display resolution; Gigabit Ethernet port to connect to the peripheral for the video streaming; Comply with SDIO3.0 standard and SD card could be inserted for the images or videos storage; Power adapter connection (12V); Power Switch; LED Camera status indicator.</p> <p>Other specifications for HDMI Output: UI Operation: With USB Mouse; 8M (3840*2160) Image capture JPEG Image in SD Card or USB Flash Disk; 16M (5440*3060) JPEG Image in SD Card or USB Flash Disk; Video Record; Video Format: 8M(3840*2160) H264 Encoded MP4 Format; Video Recording Frame Rate: 50~60FPS(XCAM4K8MPA), 26~30FPS(XCAM4K16MPA)(related with the SD card speed class and video resolution); Camera Control Panel: Including Exposure, Gain, White Balance, Color Adjustment, Sharpness and Denoising Control; Toolbar: Including Zoom, Mirror, Comparison (Video-image, image-image, Freeze, Cross, Browser Function).</p> <p>Other Specification for GE Output: Auto/Manual/ROI White Balance; Color Technique: Ultra-Fine Color Engine (USB); Capture/Control SDK: Windows/Linux/macOS/ Android Multiple; Platform SDK(Native C/C++, C#/VB.NET, Python, Java, DirectShow, Twain, etc); Recording System: Still Picture or Video.</p> <p>Software Environment (for USB2.0 Connection Operating System: Microsoft® Windows® XP /Vista /7/8/8.1/10(32 & 64 bit); OSx(Mac OS X) Linux; PC Requirements: CPU: Equal to Intel Core2 2.8GHz or Higher; Memory: 4GB or More; Ethernet Port: RJ45 Ethernet Port; Display: 19" or Larger; CD-ROM.</p>			
--	--	--	--	--	--	--



			<p>Operating Environment: Operating Temperature (in Centidegree): -10~ 50; Storage Temperature(in Centidegree): -20~ 60; Operating Humidity: 30~80%RH; Storage Humidity: 10~60%RH; Power Supply: DC 12V/2A Adaptor</p> <p>Overall Dimensions: Width x Depth x Height: 98.3 mm (3.87") x 65 mm (2.56") x 78mm (3.07"); Shipping Weight: 0.47 kg (1.0lbs);</p> <p>1 unit U-TV0.5XC-3 C-mount video attachment with 0.5X lens 1 unit SD Card SD Card 32GB 1 unit Laptop with specs: Processor: Intel core i5; Memory: 8GB DDR4; Hard Drive: 1TB; Graphics: HD Graphics 620; Display: 14" HD; Operating System: Win 10; Connectivity: WiFi, USB 3; With Bag; 1 unit Antivirus Antivirus One (1) Year Subscription; 1 unit Microsoft Office Microsoft Office Supplier will include 1-unit voltage regulator and 1 uninterruptible power supply UPS. Microscope with 3 years on parts and one (1) year on service warranty. Seller will facilitate delivery, installation, commissioning and training.</p>			
2	Unit	1	<p>Precision Scanner Research Microscope CX43 1 set composed of 3 units Branded CX43 with 2 units TOUPTEK XCAM4K camera, 1 unit PC Set i5, 1 unit Monitor 23.6", 1 Antivirus, 1 unit Microsoft office 1, 1 unit voltage regulator and 1-unit uninterruptible power supply. 3 units Branded CX43 features :Comfortable for Long Periods of Routine Microscopy; Maintain Preferred Observation Conditions with Minimal Adjustments; Uniform Illumination with Consistent Color Temperature; Excellent Optical Performance for Flat Images; <i>Select and Set Your Contrast Level</i>; Change Magnification without Adjusting the Condenser; Smooth Magnification Change; Use Up to Five Objectives; Ergonomically-Positioned Focus Knob; Ergonomic Stage and Eyepiece Position; Specimen Holders that Match Your Observation Style; The universal condenser offers a variety of observation methods and future upgradability. In combination with the five-position revolving nosepiece, multiple applications can be covered using the single microscope frame; Brightfield; Phase Contrast; Fluorescence</p> <p>3 units Branded CX43 specifications: Optical System: UIS2 (universal infinity-corrected) optical system Illumination System: Built-in transmitted illumination system; Kohler illumination (fixed field diaphragm); LED power consumption 2.4 W (nominal value), precentered Focusing; Stage height movement (coarse movement stroke: 15 mm); Stroke per rotation for coarse adjustment knob: 36.8 mm, Focusing stopper; Torque adjustment for coarse adjustment knob; Fine focus knob (minimum adjustment gradations: 2.5 μm) Revolving Nosepiece: Fixed quintuple nosepiece with inward tilt Stage; Wire movement mechanical fixed stage, (W × D): 211 mm × 154 mm; Traveling range (X</p>	Brand: Olympus Model: CX43 Origin: Japan	699,000.00	699,000.00

3 | Page COA



			<p>× Y): 76 mm × 52 mm; Single specimen holder (optional: double specimen holder, sheet holder); Specimen position scale; Stage XY movement stopper Observation Tube: Type (anti-fungal); Eyepiece (anti-fungal); 10X Field Number (FN): 20 Tube Inclination: 30°; Light Path Selector: None; Interpupillary Distance Adjusting Range: 48??75 mm Condenser; Abbe condenser NA 1.25 with oil immersion; Built-in aperture iris diaphragm; AS lock pin; Observation Method: Brightfield; Objectives: Plan achromat (UIS2), anti-fungal; Rated Voltage/Electric Current: AC 100-240 V 60 Hz 0.4 A; CX43RF Microscope frame for transmitted microscopy with LED illumination, quintuple revolving nosepiece, right-handle low position stage, single specimen holder, and universal abbe condenser, including rubber stage grip, AC adapter, fixing belt for transportation; UYCP Power Cord; U-CTR30-2 Trinocular tube, FN20, fixed light pass, Bi/Photo: 50/50; WHB10X</p> <p>2 units TOUPTEK XCAM4K Features: Sony Exmor CMOS sensor; 4K HDMI/GE/WLAN multiple video outputs; 4K/1080P auto switching according to the display resolution; SD card/USB flash disk for the captured image and video storage; Embedded XCAMView for the control of the camera; With strong ISP and other related processing functions; ToupView/ToupLite software for PC; iOS/Android applications for smart phones or tablets; Windows/Linux/macOS/Android multiple platforms SDK;</p>			
3	unit	1	<p>Hot Plate with Stirrer Branded; 230 VAC, 50 Hz; Plug Type: Euro and UK standard; No. Of Stirring Positions: 3; High Speed: (rpm)1500; Low Speed (rpm): 0; Max Load Capacity (kg): 2; Max Temperature: 325 ° C; Min Temperature: 50 ° C; Top Plate Material: Aluminum. INCLUDES three 25-mm PTFE-coated stir bars and automatic voltage regulator.</p> <p>with 1 year warranty. Delivery, installation & commissioning</p>	Model:Stuart Brand: Cole-Parmer	69,850.00	69,850.00
4	unit	1	<p>Crucibles</p> <p>1 Set composed of 25 pieces branded Porcelain High-Form Crucible with cover and 25 pcs Branded Gooch crucible 30 mL High Form.</p> <p>25 pieces branded Porcelain High-Form Crucible with Cover, Porcelain; 25 mL capacity; Autoclavable; Porcelain; 25 mL with complete accessories: Boekel Nickel-Plated Steel Crucible Tongs, 20" L; 1/Pk; CoorsTek 60015 Permanent Ceramic Marking Ink, 15 mL. with 1 year warranty.</p> <p>25 pieces; Branded Gooch crucible 30 mL High Form; With Integral Glass sintered disc; Ideal for drying precipitates to constant mass at 110°C and for ignition work up to 450°C; 30mL capacity; Borosilicate Glass material; 30mm Diameter (Metric) Disc; 450°C Max. Temperature (Metric); Height (Metric) 53mm; Porosity 5. with 1 year warranty.</p>	Brand: Cole-Parmer	99,000.00	99,000.00


 4 | Page COA

5	Unit	1	Laboratory Shaker Branded Cole-Parmer™ Stuart™ Orbital Shaker; Temperature Range 4 to 40°C; Hertz 50Hz; Width (Metric) Exterior 240mm; For Flask Size Smaller vessels; Orbital shaker; Electrical Requirements 230V, 50Hz, 50W; Speed Range 30 to 300rpm; Orbit 16mm; Load Bearing Capacity 3kg. includes 1 automatic voltage regulator. with 1 year warranty. Delivery, installation & commissioning.;	*Brand: Cole-Parmer	74,500.00	74,500.00
6	Set (fume cupboard & 2 storage cupboard)	1	Vented Storage Cupboard Branded Fume cupboard with 3 vented storage reagent & glassware cabinet for laboratory. Fume cupboard resistant to acid and alkali; 9 levels adjustable air speed; with UV lamp for sterilization; Built-in centrifugal blower; Motorized front glass window; Microprocessor control system, LED display; Double-layer structure: 1.2 mm sheet metal surface, melamine board inward; Air Velocity 0.3-0.8m/s; Protection Class: Class I; Protection Type: IP 20; Noise: ≤60dB; Exhaust Duct: PVC, Standard length: 4 meters; Pipe Strap: 1 pc; Fluorescent Lamp 14W*1; UV Lamp Emission of 253.7 nanometers for most efficient decontamination; Front Window: 5mm toughened glass; Motorized; Height adjustable; Power Supply 220V/ 50Hz; Material: Exterior Cold-rolled steel with anti-bacteria powder coating, Interior High grade melamine board with good acid and alkali resistance function, Work table Solid chemical resistant phenolic resin; Standard Accessory: UV lamp*2, Fluorescent lamp, Water tap, Gas tap, Water sink, Base cabinet, Pipe strap. Total load of 2 waterproof sockets: 500W 4 meters PVC exhaust duct; Additional accessories: 2 independent reagent storage cabinet made of stainless steel with 2 Doors; 5 Layer Cabinet Adjustable Shelves; Measurements: Width: 900mm Depth: 400mm Height: 1850mm; Materials: Powder Coated Metal, Gauge 20. Delivery, installation & commissioning.	Model: FH1000 Brand: Biobase	297,000.00	297,000.00
7	unit	1	Muffle Furnace Branded, 208-240V; Microprocessor-based PID control with self-tuning capability to prevent overshooting of set temperature; Energy-efficient; Chamber Width 4 inches; Chamber Height 4 inches; Chamber Depth 8 inches; Min Temperature 0 °C; Max Temperature 1100°C; Temperature Control Accuracy± 1°C; Temperature Uniformity± 3°C at 200°C; Rise Time 15 minutes; Control Type Single set point; Power (Hz) 50/60. Product includes 1 automatic voltage regulator with 1 year warranty. Delivery, installation & commissioning.*	Model: Thermo Scientific Thermolyne F47910-33 Brand: Cole-Parmer	247,000.00	247,000.00
GRAND TOTAL					2,135,350.00	




NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:


1. In this Agreement words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract referred to.
2. The following documents shall be deemed to form and be read and construed as part of this agreement, viz.:
 - (a) the Bid Form and the Price Schedule submitted by the Bidder;
 - (b) the Schedule of Requirements;
 - (c) the Technical Specifications;
 - (d) the General Conditions of Contract;
 - (e) the Special Conditions of Contract; and,
 - (f) the Entity's Notification of Award.
3. In consideration of the payments to be made by the Entity to the Supplier as hereinafter mentioned, the Supplier hereby covenants with the Entity to provide the goods and services and to remedy defects therein in conformity in all respects with the provisions of the Contract.
4. The Entity hereby covenants to pay the Supplier in consideration of the provision of the goods and services and the remedying of defects therein, the Contract Price or such other sum as may become payable under the provisions of the contract at the time and in the manner prescribed by the contract.

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.

The Common Seal of CMU, Musuan, Bukidnon was herein affixed in the presence of **DR. JESUS ANTONIO G. DERIJE**

Signed, sealed, and delivered by **OMNIBUS BIO-MEDICAL SYSTEMS, INC** in the presence of **VAN WILLIAM L. CO.**


Binding Signature of Entity:


JESUS ANTONIO G. DERIJE
President

Binding Signature of Supplier:


VAN WILLIAM L. CO
Authorized Representative

Witness:


MARIA JAMELLAH CELESTE M. MAGALONA
Chief, Accounting Unit

ACKNOWLEDGEMENT

REPUBLIC OF THE PHILIPPINES)
PROVINCE OF LUZON) s.s.
MUNICIPALITY OF MANILA

OCT 20 2021

at MANILA

BEFORE ME, a Notary Public for in the above jurisdiction, on this _____ day of _____ personally appeared the following, exhibiting to me following described Competent Evidence of Identity (CEI) in accordance with the 20m Rules on Notarial Practice.

Name	Competent Evidence of Identity	Date/place Issued
JESUS ANTONIO G. DERIJE		
VAN WILLIAM L. CO		

Known to me to be the same person who executed the foregoing instrument and who acknowledge to me that the same is their free and voluntary act and deed.

This instrument refers to the Contract of Agreement consisting of (3) pages including this page, signed by the parties and their witnesses on each and every hereof and thereof, including this page whereon the acknowledgement is written.

OCT 20 2021

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed on every page hereof my notarial seal this _____ day of _____ in the Municipality of MANILA, Province of _____.

DDC. NO. 152
PAGE NO. 51
BOOK NO. XXIII
SERIES OF 2021

ATTY. JOHN EDWARD TRINIDAD ANG
Notary Public for the City of Manila-Valid 12/31/2021
Notarial Commission No 2020-033
2/F Midland Plaza Hotel, Adriatico st. Ermita, Manila
IBP No 134850/ Dec 14, 2020 / Pasig City
PTR No. 9821951 Jan 4, 2021 at Manila
Roll No 68731 MCLE Compliance No VI-00171876-Jan 24, 2019



Republic of the Philippines
CENTRAL MINDANAO UNIVERSITY
BIDS AND AWARDS COMMITTEE
University Town, Musuan, Maramag, Bukidnon
E-mail: bac@cmu.edu.ph

NOTICE OF AWARD

Ms. MARILOU B. MERCADO

Authorized Representative

MERTEFLOR ENTERPRISES.

9th 21 Street, Nazareth, Cagayan De Oro.

Dear Sir:

This is to inform you that your bid proposal for the **PROCUREMENT OF LABORATORY EQUIPMENT AND SUPPLIES** which shall be funded under **Trust Fund** after having been post-qualified and declared to have obtained the Lowest Calculated Responsive Bid, has been recommended for award by the Bids and Awards Committee (BAC) of Central Mindanao University by virtue of **BAC Resolution No TF-21-PB-78**, and the same has been approved by the Central Mindanao University thru the undersigned at the amount of **Five Hundred Sixteen Thousand Nine Hundred Twenty Five Pesos Only (516,925.00)** for **Lot 2**. You are hereby requested to manifest your acceptance of this Notice of Award.

Relative thereto, and in accordance with the provisions of the documents and Revised R.A. No. 9184, otherwise known as the Government Procurement Reform Act and its Implementing Rules and Regulations, you are hereby instructed to submit the following documents with ten (10) calendar days from the date of your receipt of this Notice of Award to within:

A. PERFORMANCE SECURITY

This is to be posted in favor of the Central Mindanao University, in the form of cash, manager's check, cashier's check, bank draft/guarantee confirmed by local bank, irrevocable letter of credit issued by a reputable bank, surety bond callable upon demand, issued by the Government Service Insurance System or any reputable surety or insurance company duly accredited by the Office the Insurance Commissioners, or a combination thereof **IN ACCORDANCE** with the following schedule:


FORM OF PERFORMANCE SECURITY	AMOUNT OF PERFORMANCE SECURITY (EQUAL TO PERCENTAGE OF THE TOTAL CONTRACT PRICE)
Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Five percent (5%)
Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	
Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security; and/or	Thirty percent (30%)
Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security

Within the same period of ten (10) days as indicated above, you are directed to enter into and execute the Goods Contract with the University.

This Performance Security shall be forfeited in favor to Central Mindanao University in the event of default on your part in the performance of any of your obligations under the Contract.


Finally, it must be noted that you shall not commence the work nor initiate the procurement of materials for the project prior to your receipt of the Notice to Proceed.

Very truly yours,


JESUS ANTONIO G. DERIJE
President

Received, Acknowledged and Accepted:

Name: MALON B. MERRADO

Signature: 

Date: 10 | 29 | 21



Republic of the Philippines
 CENTRAL MINDANAO UNIVERSITY
 Bids and Awards Committee
 University Town, Musuan, Maramag, Bukidnon
 E-mail: bac@cmu.edu.ph

CONTRACT OF AGREEMENT

REF. NO. -TF-21-PB-78

THIS AGREEMENT made this NOV 08 2021 between CENTRAL MINDANAO UNIVERSITY of the Philippines (hereinafter called "the Entity") of the one part and **MERTEFLOR ENTERPRISES** at 9th Street, Nazareth, Cagayan De Oro (hereinafter called "the Supplier") of the other part:

Whereas, the Entity invited Bids for certain goods and ancillary services, viz., **PROCUREMENT OF LABORATORY EQUIPMENT AND SUPPLIES** and has accepted a Bid by the Supplier for the supply of those goods and services in the sum of Five Hundred Sixteen Thousand Nine Hundred Twenty Five Pesos Only (516,925.00) for Lot 2 with the items listed below:

ITEM	UNIT	QTY	DESCRIPTION	OFFER	UNIT PRICE	TOTAL AMOUNT
1	PCS	3	Hydrogen peroxide 30% solution 500 ml; CAS 7722-84-1, 7732-18-5; Density: 1g/ml; Formula Weight: 34.01; Packaging 30%; Chemical Name or Material: Hydrogen Peroxide, 30% Solution	"COMPLY"	5,000.00	15,000.00
2	PCS	3	Megabox (70 liters capacity)	"COMPLY"	2,400.00	7,200.00
3	PC	1	Hot plate with Stirrer, max. capacity 15L, Ceramic Hotplate Material: Ceramic; Plate Size: 150 x 150mm; Maximum Hotplate Temperature +450°C; Magnetic Stirrer: Yes; Maximum Stirring Capacity: 15L; Maximum Stirrer Speed: 2000rpm; Power Rating: 550W; Power Source: With 1 year warranty	"COMPLY"	42,000.00	42,000.00
4	PC	1	Desiccator 2.4 L, Glass, 5.5" dia Chamber Volume (Liters): 2.4; Plate Size (mm)140; Exterior Height (in)10.25;	150mm, Pyrex 3081	12,500.00	12,500.00

			Exterior Height (cm) 26; Clearance Above Plate (mm)81; Material: Pyrex Glass; Color Clear.			
5	PC	1	Porcelain Dessicator Plate Plate Size 140 mm; Diameter (in)5.5; Diameter (cm)14; Material Porcelain;	"COMPLY"	6,270.00	6,270.00
6	LITER	1	Acetic acid glacial, Reagent, ≥99% Vapor density: 2.5 liters; 2.07 (vs air); product line: ReagentPlus; assay: ≥99%; form: liquid; autoignition temp.: 800 °F; pH 2.5 (20 °C, 50 g/L); bp 117-118 °C (lit.); density 1.049 g/mL at 25 °C (lit.); storage temp. room temp; Appearance (Clarity) Clear; Appearance (Color) Colorless.	"COMPLY"	2,500.00	2,500.00
7	KG	1	Sodium hydroxide reagent grade, ≥98%, pellets (anhydrous)Reagent grade; vapor density >1 (vs air); assay ≥98%; form pellets (anhydrous); impurities ≤1.0% sodium carbonate; solubility water: soluble 1260 g/L at 20 °C; density 2.13 g/cm ³ at 20 °C; Appearance (Color) White; Solubility (Color) Colorless;Solubility (Turbidity) Clear;	"COMPLY"	1,800.00	1,800.00
8	LITER	2	Ethyl alcohol, denatured Reagent grade; Appearance (Color) Colorless; Appearance (Form) Liquid; Infrared spectrum: Conforms to Structure; Refractive index at 20 ° C 1.356- 1.364; Water (by Karl Fischer): 0.15 %; impurities: ≤0.15% water	Labscan 1069	3,800.00	7,600.00
9	LITER	20	Distilled water (Laboratory Grade)	"COMPLY"	125.00	2,500.00
10	BOX	10	Disposable Laboratory Face mask Disposable; 3-layer design; Latex-free and hypo-allergenic; FDA	Indoplas disposable face mask,non- woven	350.00	3,500.00

			registered; Pleated with ear loops; Bacterial Filtration Efficiency 95%; Soft inner surface for comfort;			
11	BOX	3 ✓	Glass slide cover slip Dimensions: 22 x 22mm with No. 1 thickness 0.13-0.17mm thick; Box of 100	"COMPLY"	150.00	450.00 ✓
12	LITER	1 ✓	Sulfuric acid 2.5 liter; ACS reagent, 95.0-98.0%; Quality Level: 200; vapor density <0.3 (25 °C, vs air); vapor pressure 1 mmHg (146 °C); Nominally 95-98% H2SO4; Form: Liquid; appearance (clarity): clear	"COMPLY"	2,000.00	2,000.00 ✓
13	BOX	10 ✓	Disposable Nitrile Gloves Powder Free; Color: Blue; Size: Medium; Package: 100 pcs/box (Weight Quantity); MOQ: 500Cs; Certification CE, Class I; ISO 10993-5/10; 100% nitrile is strong, comfortable and durable; Latex-Free No Allergic Reactions; 9.5" Ambidextrous.	Glomed/H CD	1,000.00	10,000.00 ✓
14	CASE	1 ✓	Media Bottles Starter Pack Autoclavable; Closure Material Polypropylene; General laboratory use including mixing, storing, or transporting culture media, chemicals, or solvents; Material Borosilicate Glass; Case includes: Two 100mL bottles; Three 250mL bottles; Three 500mL bottles; Two 1000mL bottles.	Scharlau/Bo rosil	3,900.00	3,900.00 ✓
15	48 ROLLS/ PACK	3 ✓	Bathroom Tissue 2ply	"COMPLY"	2,100.00	6,300.00 ✓
16	PCS	10 ✓	Laboratory marker	"COMPLY"	650.00	6,500.00 ✓
17	PCS	2 ✓	Crucible tong Stainless steel crucible tong; 500mm	9-12"	495.00	990.00 ✓

18	Pack OF 12	1	Low-Form Beaker (30mL capacity) Capacity: 30mL; Glass Material; Min Graduation: 5 mL; Max Graduation 25 mL; Graduation Interval: 10 mL; Autoclavable; Label Type: White Write- On; Withstands High Temperature: 446° F; Withstands Low Temperature 382° F.	Pyrex 100, 30ml (low form)	3,000.00	3,000.00
19	Pack OF 12	1	Erlen meyer flask 125 mL, pack of 12; Glass material; Min Graduation 50 mL; Max Graduation 125 mL; Graduation Interval 25 mL	Pyrex 4980	3,800.00	3,800.00
20	Pack OF 13	1	Glass Stir Rods with Rubber Policeman, 5" Soft borosilicate glass with both ends rounded; with a pre-assembled, removable rubber policeman; chemically resistant and can withstand temperatures to 400°F (205°C); Autoclavable.		3,800.00	3,800.00
21	Pack OF 12	1	Watch glass Fits Bottle / Beaker Size: 150 mL; Material: Glass; Autoclavable	65mm diameter, Pyrex 9985	1,800.00	1,800.00
22	PCS	8	Adjustable Three-Prong Swivel Flask Clamp Adjustable Three-Prong Swivel Flask Clamp Lab Test Tube Condenser Lab Holder Extension Flask Clip Clamp; Material: Metal; Length: 22cm/8.7in; Weight: 212g (approx.)	Nickel plated, china, 8.5 L	1,400.00	11,200.00
23	PCS	5	Cast Iron Base with Black Enamel Finish and zinc plated steel rods Stand made from cast iron; Acid resistant; Plated steel support rod; Rod threaded to fit base.	4 x 5 metal base w/ SS Rod	1,200.00	6,000.00
24	CASE OF 6	1	Heavy wall filtering flasks Capacity : 2000 ml; material: borosilicate glass with narrow-mouth; stopper size 9; non-sterile; closure type Rubber stopper; packaging: case of 6; mfr. no. Corning,	Pyrex 54321-2L, case of 6	31,000.00	31,000.00

			5341-2L; Permanent, white enamel graduations and marking spots and replaceable PP tubulation with neoprene grommet. Tubulation is 12.5 mm o.d.			
25	ROLL	2	Rubber tubing Smooth-walled; Pure rubber latex; Non-toxic, amber natural rubber; Outside diameter 12 mm; Inner diameter 8 mm; Wall thickness 2 mm; Can be used from -35°C to 70°C	¼ x 1/16 x 50 ft, Primeline	4,000.00	8,000.00
26	PACK	1	Filtration vacuum rubber stopper Stopper size # 9; Rubber Stoppers, One Hole, Black, Natural Rubber, Hole size: 5 mm; Bottom diameter: 37mm; Top diameter: 45 mm	Pack of 10	500.00	500.00
27	PC	1	Circulating Water Vacuum Pump 180W Anticorrosive Multipurpose Laboratory Equipment 80L/min Item Type: Circulating Water Vacuum Pump; Material: Engineering plastics, copper; Uses: Widely used in evaporation, distillation, crystallization, filtration, decompression, sublimation and other operations. Ideal equipment for laboratories in scientific research units, bioengineering, education applications, petrochemicals, universities, colleges, pharmaceuticals industries, and food processing.; Power: 180W; Pump Displacement: 80L/min; Water Tank Volume: 15L; Head: Approx. 10meter / 32.8ft; Single Head Pumping Rate: 10L/min; Vacuum Degree: 0.098MPa; Noise: <45dB; Number of Taps: 2; Motor Power: 180W; Size: LxWxH: Approx. 385 x 280 x 420mm / 15.2 x 11 x	Clear, Glass (Borosil Scharlau)	27,000.00	27,000.00

			16.5in; Model Description: Anticorrosive vacuum bottle, pump head engineering plastic			
28	Pack OF 2	1	Round bottom flask Round-bottom flask; Material: borosilicate Glass; Capacity: 250 mL; Overall Height 14 cm; Joint Size Number24/40; Base Diameter 8.3 cm; short neck;	Pyrex 4320	3,300.00	3,300.00
29	SET	3	Complete Soxhlet extraction glassware systems 125 MI Branded Complete Wheaton Soxhlet extraction glassware system (includes condenser, soxhlet extractor and flask); Capacity 125 mL; Condenser Type: Allihn; Flask Type: Flat-bottom; Flask Joint Size24/40; Condenser Joint Size24/40; low extractable borosilicate glass	250ml Pyrex/Corni ng	23,800.00	71,400.00
30	PKG OF 12	1	Extraction Thimbles, Cellulose , 22 mm ID x 80 mm H; 25/pack Material: Cellulose; Diameter 22cm; Diameter: 2.2 cm; Height : 80mm; Thickness 1.5µm; 25/pack	Pack of 25, double thickness	25,200.00	25,200.00
31	Pack OF 500	2	Eppendorf tube (1.5 ml) (500pcs/pack) Conical bottom tube; polypropylene material; 1.5 ml capacity; non- sterile; Eppendorf®, 0030 125.150; colorless	Microtube, Eppendorf type	1,100.00	2,200.00
32	LITER	1	Diethylene glycol dimethyl ether Reagent , 99%; 2.5 liters Quality Level: 100; vapor density 4.6 (vs air); vapor pressure: 3 mmHg (20 °C); assay: 99%; form: liquid; autoignition temp. 370 °F; color APHA: ≤10; Refractive index at 20 ° C 1.406 - 1.410; colorless	Sigma M- 14102	57,000.00	57,000.00
33	LITER	1	Hydrochloric Acid ACS reagent, 37% 2.5 liters; Appearance (Clarity) Clear;	"COMPLY"	2,000.00	2,000.00

			Appearance (Color) Colorless; Appearance (Form) Liquid; Color Test < 10 APHA; Titration with NaOH 36.5 - 38.0 %; Residue on Ignition (ppm) < 5 ppm; Meets ACS Requirements Current ACS Specification.			
34	LITER	1	Methanol Anhydrous, 99.8%; 2 liters; Appearance (Color) Colorless; Appearance (Form) Liquid; Infrared spectrum Conforms to Structure; Purity (GC) > 99.75 %; Water (by Karl Fischer) < 0.002 %; Quality Level 100; vapor density 1.11 (vs air); form liquid; autoignition temp. 725 °F	Labscan	3,900.00	3,900.00 ✓
35	ROLLS	4	Aluminum foil Jumbo 300 m x 12 inches	"COMPLY"	1,500.00	6,000.00 ✓
36	PC	1	Porcelain Buchner Funnel (50 mm) Porcelain Buchner Funnel, 50 mL, 50 mm Filters; 1/Pk; Material Porcelain; Capacity 50 mL; Capacity 1.75 oz; Overall Length 65mm; Overall Length 2 1/2 in; Filter Paper Diameter 50 mm.	70mm	150.00	150.00 ✓
37	PC	1	Porcelain Buchner Funnel (70 mm) Porcelain Buchner Funnel, 120 mL, 70 mm Filters; 1/Pk; Material Porcelain; Material Porcelain Capacity 120mL; Capacity 4 oz	70mm	165.00	165.00 ✓
38	PACK OF 500	1	Grade 1 Qualitative Filter Paper Standard Grade Whatman Grade 1 Qualitative Filter Papers; Standard grade; 75 x 100 mm; Material cellulose.	125mm diameter 100 circles/box, Whatman #1	1,200.00	1,200.00 ✓
39	PC	1	Refrigerator Capacity: Gross Total 258 Liter, Gross for Freezer 54 Liter; Gross for Refrigerator 204 Liter; Physical Specification: Cooling Type: All around cooling; Deodorizer Type:	"COMPLY"	45,000.00	45,000.00 ✓


			Deodorizer; Number of Shelf 3 EA; Number of Shelf 1 EA Slide Out; Shelf Material: Tempered Glass; Number of Vegetable & Fruit Drawer: 1 EA; Number of Door Pocket: 4 EA; Fresh room: Yes; Interior LED Light: Yes; Icemaker: Twist ice maker; Shelf Material: Plastic; Number of Shelf: 1 (Coolpack); Number of Door Pocket: 2 EA; Refrigerant: R600a; Door Handle: Recess.			
40	PC	2	Steel laboratory cabinet Heavy Duty Steel Storage Cabinet; Structure: made of 1.0mm steel, 5 mm tempered Glass windows on the top, steel doors on the bottom; Shelf: three adjustable shelves; Size: 900x450x1800 mm (LxWxH); Hinge & Handle: Stainless steel.	"COMPLY"	32,000.00	64,000.00
41	PACK OF 10	1	Magnetic Bar Stirrer Magnetic Stir Bars; Chemically resistant PTFE coating; Dimension: 7 (dia.) x 25mm; Diameter 7mm; Length: 25mm	1/4 x 1/16 x 50	4,300.00	4,300.00
42	SET	1	Complete Filter Adapter Set Filter Adapter Filtration Set of 8; Rubberized filter adapters; Adapter #1: Height: 19mm, Top Inner Diameter: 16mm, Bottom Inner Diameter: 8mm, Thickness: 2.43 mm; Adapter #2: Height: 20mm, Top Inner Diameter: 22mm, Bottom Inner Diameter: 11mm, Thickness: 3.06 mm; Adapter #3: Height: 24mm, Top Inner Diameter: 28mm, Bottom Inner Diameter: 16mm, Thickness: 3.34 mm; Adapter #4: Height: 28mm, Top Inner Diameter: 34mm, Bottom Inner Diameter: 20mm, Thickness: 4.00 mm;	"COMPLY"	4,000.00	4,000.00

IN WITNESS whereof the parties hereto have caused this Agreement to be executed in accordance with the laws of the Republic of the Philippines on the day and year first above written.


The Common Seal of CMU, Musuan, Bukidnon was herein affixed in the presence of **DR. JESUS ANTONIO G. DERIJE**

Signed, sealed, and delivered by **MERTEFLOR ENTERPRISES** in the presence of **MARILOU B. MERCADO**.


Binding Signature of Entity:


JESUS ANTONIO G. DERIJE
President

Binding Signature of Supplier:


MARILOU B. MERCADO
Authorized Representative

Witness:


MARIA JAMELLAH CELESTE M. MAGALONA
Chief, Accounting Unit

ACKNOWLEDGEMENT

REPUBLIC OF THE PHILIPPINES)
PROVINCE OF BUKIDNON) s.s.
MUNICIPALITY OF MARAMAG)

VALENCIA CITY

BEFORE ME, a Notary Public for in the above jurisdiction, on this _____ day of _____ at _____ personally appeared the following, exhibiting to me following described Competent Evidence of Identity (CEI) in accordance with the 20m Rules on Notarial Practice.


Name	Competent Evidence of Identity	Date/place Issued
JESUS ANTONIO G. DERIJE		
MARILOU B. MERCADO		

Known to me to be the same person who executed the foregoing instrument and who acknowledge to me that the same is their free and voluntary act and deed.

This instrument refers to the Contract of Agreement consisting of (3) pages including this page, signed by the parties and their witnesses on each and every hereof and thereof, including this page whereon the acknowledgement is written.

IN TESTIMONY WHEREOF, I have hereunto set my hand and affixed on every page hereof my notarial seal this _____ day of _____ in the Municipality of **VALENCIA CITY**

DOC. NO. 196
PAGE NO. 41
BOOK NO. 300
SERIES OF TM


ATTY. FRANCISCO L. VASIG, JR.
NOTARY PUBLIC
UNTIL DECEMBER 31, 2021
NOTARIAL COMMISSION No. 02-20
PTR No. 4133084 / 1-4-2021
IBP No. 122974 / 1-7-2021
ROLL No. 23109; TIN: 106-036-894
MCLE COMPLIANCE No. VI-0000887