



**Office of the Bids and Award Committee**

August 27, 2026

**SUPPLEMENTAL/BID BULLETIN (SBB) NO. 2026-33**

This SBB No. 2026-33 for Project ID No. GS-2026-23, *“Supply, Delivery and Installation of Various Airconditioning Units and Appliances”* is issued to clarify/amend certain provisions in the Bidding Documents for the above-mentioned project, pursuant to Section 51.4 and Section 51.5 of the IRR of RA 12009. Accordingly, this shall form an integral part of the Bidding Document.

| ITB Clause | PARTICULARS                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | AMENDMENT/CLARIFICATION                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BDS        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| STF        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
|            | LOT 2<br>PR: 670 (OHS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | LOT 2<br>PR: 670 (OHS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 2          | Aircon Split Type<br>AC Horsepower Rating: 2.0 HP<br>EER Rating: 13.5<br>Type Air Conditioner: Single Split Type<br>Plug Type: Universal<br>Airconditioner Features: Timer<br>EER: 13.5 kJ/Wh<br>Maximum Power Input: 2500 W<br>Maximum Current: 11A<br>Power Supply: 1PH, 230V-60Hz<br>Input Voltage: 220 V<br>Air Volume: 950m3/h<br>Net Weight: 9.5 kg<br>Air Conditioner Rated Capacity (BTUs) 5091<br>Warranty: One (1) year on parts and services<br>R32 REFRIGERANT<br>WITH INSTALLATION<br>(INCLUDES CIRCUIT BREAKER) | Aircon Split Type<br><b>INVERTER TYPE</b><br>AC Horsepower Rating: 2.0 HP<br>EER Rating: 13.5<br>Type Air Conditioner: Single Split Type<br>Plug Type: Universal<br>Airconditioner Features: Timer<br>EER: 13.5 kJ/Wh<br>Maximum Power Input: 2500 W<br>Maximum Current: 11A<br>Power Supply: 1PH, 230V-60Hz<br>Input Voltage: 220 V<br>Air Volume: 950m3/h<br>Net Weight: 9.5 kg<br>Air Conditioner Rated Capacity (BTUs) 5091<br>Warranty: One (1) year on parts and services<br>R32 REFRIGERANT<br>WITH INSTALLATION<br>(INCLUDES CIRCUIT BREAKER) |
|            | LOT 4<br>PR: 314 (UL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | LOT 4<br>PR: 314 (UL)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 4          | INVERTER TYPE Aircon (type floor standing/floor mounted AC cooling capacity 3.0-10.0 hp power supply 220-240V/1 phase Refrigerant type R-32<br>WITH INSTALLATION<br>(INCLUDES CIRCUIT BREAKER)                                                                                                                                                                                                                                                                                                                                | INVERTER TYPE Aircon (type floor standing/floor mounted AC cooling capacity <b>3.0 TONS</b> power supply 220-240V/1 phase Refrigerant type R-32<br>WITH INSTALLATION<br>(INCLUDES CIRCUIT BREAKER)                                                                                                                                                                                                                                                                                                                                                    |
|            | LOT 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         | LOT 5                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | PR: 83 (COAgri)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | PR: 83 (COAgri)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| 5  | Air-condition, 3 tons floor mounted type, non-inverter with installation and complete accessories (INCLUDES CIRCUIT BREAKER)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          | Air-condition, 3 tons floor mounted type, <b>INVERTER</b> -with installation and complete accessories (INCLUDES CIRCUIT BREAKER) <b>WITH AVR</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|    | LOT 7<br>PR: 980 (DXMU)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               | LOT 7<br>PR: 980 (DXMU)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 8  | <b>2 HP WINDOW TYPE INVERTER AIRCON SPECIFICATION:</b><br>-Cooling Capacity: Usually around 18,000 to 20,000 kJ/h (kilojoules per hour).<br>-Energy Efficiency Ratio (EER): Ranges from approximately 10.5 to 12.3 kJ/hW.<br>-Refrigerant Type: Commonly uses environmentally friendlier R32<br>-Power Supply: Requires 230V, 60Hz, and a single phase (1Ph).<br>-Recommended Room Size: Best suited for rooms from 28 to 40 square meters.                                                                                                                                                                                                                                                                                           | <b>2 HP WINDOW TYPE INVERTER AIRCON SPECIFICATION:</b><br>-Cooling Capacity: Usually around 18,000 to 20,000 kJ/h (kilojoules per hour).<br>-Energy Efficiency Ratio (EER): Ranges from approximately 10.5 to 12.3 kJ/hW.<br>-Refrigerant Type: Commonly uses environmentally friendlier R32<br>-Power Supply: Requires 230V, 60Hz, and a single phase (1Ph).<br>-Recommended Room Size: Best suited for rooms from 28 to 40 square meters.<br><b>WITH CIRCUIT BREAKER AND BRACKET WITH INSTALLATION</b>                                                                                                                                                                                                                 |
|    | LOT 9<br>PR: 948 (CNPRDE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             | LOT 9<br>PR: 948 (CNPRDE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| 10 | 55-inch Smart TV, Slim & Unibody Design, Metallic Finish Frame, 4K QLED, Google TV, Ultra HD, Brightness: 350 Nits(typical), Wide Colour Gamut(WCG): Up to 93 Percent DCI-P3, AiPQ Processor, Dolby Vision, HDR10+, Hybrid Log-Gamma (HLG), Huaxing Vertical, Alignment (HVA), Screen: 3x Contrast Enhancement, Variable Refresh Rate (VRR)120Hz, DLG 120Hz, MEMC 60Hz, 2.0 Channel 2 x 10W Speakers, DTS Virtual X, Dolby Atmos, Game Bar, Game Mode, Auto Low Latency Mode (ALLM), Google Assistant, Chromecast, Hands-Free Voice Control, CPU: Cortex A55*5 @ 1.5GHz (Normal),1.9GHz (DVFS), GPU: G57 MC1 800MHz, Memory 2GB + 16GB, Wi-Fi 5 (2.4G+5G), Bluetooth 5.4, 3x HDMI 2.1, HDMI 3 for eARC, 1x USB 3.0, with free bracket | 55-inch Smart TV, Slim & Unibody Design, Metallic Finish Frame, 4K QLED, Google TV, Ultra HD, Brightness: 350 Nits(typical), Wide Colour, AiPQ Processor, Dolby Vision, HDR10+, Hybrid Log-Gamma (HLG), Huaxing Vertical, Alignment (HVA), Screen: 3x Contrast Enhancement, Variable Refresh Rate (VRR)120Hz, DLG 120Hz, MEMC 60Hz, 2.0 Channel 2 x 10W Speakers, DTS Virtual X, Dolby Atmos, Game Bar, Game Mode, Auto Low Latency Mode (ALLM), Google Assistant, Chromecast, Hands-Free Voice Control, CPU: Cortex A55*5 @ 1.5GHz (Normal),1.9GHz (DVFS), GPU: G57 MC1 800MHz, Memory 2GB + 16GB, Wi-Fi 5 (2.4G+5G), Bluetooth 5.4, 3x HDMI 2.1, HDMI 3 for eARC, 1x USB 3.0, with free bracket <b>NEED SITE VISIT</b> |
|    | LOT 10<br>PR: 1034 (CAS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              | LOT 10<br>PR: 1034 (CAS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| 11 | Supply, Delivery and Installation 2HP Inverter Split Type Aircon                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      | Supply, Delivery and Installation 2HP Inverter Split Type Aircon                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |                                                                                                                                                                                                                                                                         |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | Inverter Compressor <ul style="list-style-type: none"> <li>• Active Energy Control</li> <li>• Jet Cool Operation</li> <li>• Comfort Air</li> <li>• Micro Dust Filter</li> <li>• Prefilter(Washable/Anti-Bacteria)</li> <li>• Smart Diagnosis</li> <li>• Dry(Dehumidification) Operation</li> <li>• Auto Operation (Artificial Intelligence)</li> <li>• Auto Cleaning(Coil Dry)</li> <li>• Auto Restart Operation</li> <li>• Matte Look</li> <li>• R32 Refrigerant</li> <li>• Gold Fin Condenser</li> <li>• Forced Operation</li> <li>• Sleep Mode-12 hr</li> <li>• Timer 24hr (On/Off)</li> </ul> WITH INSTALLATION<br>(INCLUDES CIRCUIT BREAKER) | Inverter Compressor<br>WITH INSTALLATION<br>(INCLUDES CIRCUIT BREAKER)                                                                                                                                                                                                  |
|    | <b>LOT 11</b><br>PR: 909 (CAS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>LOT 11</b><br>PR: 909 (CAS)                                                                                                                                                                                                                                          |
| 12 | <b>Supply, Delivery and Installation of Air Conditioning Unit</b><br><b>1.5 HP Window Type</b><br><b>INVERTER</b><br>Cooling Capacity<br>-HP: 1.5 HP<br>BTU/Hr: 12,300<br>kJ/Hr: 12,977<br>Power Supply (V/Hz/Ph): 230/60/1<br>Rated Power (W): 1,160.00<br>Rated Current (A): 5.2<br>EER<br>BTU/W-Hr: 10.60<br>kJ/W-Hr: 11.20<br>CSPF: 3.30<br>Refrigerant: R32<br>Operation Temperature (Min-Max): 17-32°C<br>WITH INSTALLATION<br>(INCLUDES CIRCUIT BREAKER)                                                                                                                                                                                   | <b>Supply, Delivery and Installation of Air Conditioning Unit</b><br><b>1.5 HP Window Type</b><br><b>INVERTER</b><br>Cooling Capacity<br>-HP: 1.5 HP<br>Refrigerant: R32<br>Operation Temperature (Min-Max): 17-32°C<br>WITH INSTALLATION<br>(INCLUDES CIRCUIT BREAKER) |
|    | <b>LOT 12</b><br>PR: 900 (CAS)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    | <b>LOT 12</b><br>PR: 900 (CAS)                                                                                                                                                                                                                                          |
| 13 | <b>Smart TV 55"</b><br><b>Key Features</b><br>Display: 55-inch LED, 4K Ultra HD (3840x2160).<br>Processor: X1 4K Processor with 4K X-Reality PRO for upscaling.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   | <b>Smart TV 55"</b><br><b>Key Features</b><br>Display: 55-inch LED, 4K Ultra HD (3840x2160).<br>Processor: X1 4K Processor with 4K X-Reality PRO for upscaling.                                                                                                         |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | <p>Smart TV: Runs Google TV, includes built-in Chromecast &amp; Apple Airplay, 16GB storage.</p> <p>Audio: Supports Dolby Atmos &amp; DTS:X, with DTS:HD High Resolution Audio.</p> <p>Connectivity: 4 HDMI (ARC/eARC on HDMI 3/4), 2 USB, Ethernet, Wi-Fi 6, Bluetooth 5.3.</p> <p>High Quality, Branded, with atleast 1 year Warranty</p>                                                                                                                                                                                                                                                   | <p>Smart TV: Runs Google TV, includes built-in Chromecast &amp; Apple Airplay, 16GB storage <b>BUILT-IN STORAGE</b>.</p> <p>Audio: Supports Dolby Atmos &amp; DTS:X, with DTS:HD High Resolution Audio.</p> <p>Connectivity: 4 HDMI (ARC/eARC on HDMI 3/4), 2 USB, Ethernet, Wi-Fi 6, Bluetooth 5.3.</p> <p>High Quality, Branded, with atleast 1 year Warranty</p>                                                                                                                                                                  |
|    | <p><b>LOT 13</b><br/>PR: 529 (OSAS)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       | <p><b>LOT 13</b><br/>PR: 529 (OSAS)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 14 | <p><b>Ceiling Fan with installation</b></p> <ul style="list-style-type: none"> <li>• Circo / Orbit Fan</li> <li>• 16" (405mm) 3-leaf PP plastic fan blade</li> <li>• 65W</li> <li>• 3-speed settings</li> <li>• Max speed: 1,320 RPM</li> <li>• Max airflow: 68.3 m³/min</li> <li>• 360° oscillation</li> <li>• Wall-mounted continuous rotary switch</li> <li>• Aluminum motor housing</li> <li>• Powder-coated metal body</li> <li>• With sealed bearing type motor</li> <li>• Equipped with Thermal Cut-Off Fuse (TCO)</li> <li>• Dimensions: 44.5 x 38.5 x 36.5 cm (L x W x H)</li> </ul> | <p><b>Ceiling Fan with installation</b></p> <ul style="list-style-type: none"> <li>• Circo / Orbit Fan</li> <li>• 16" (405mm) 3-leaf PP plastic fan blade</li> <li>• 65W</li> <li>• 3-speed settings</li> <li>• Max speed: 1,320 RPM</li> <li>• Max airflow: 68.3 m³/min</li> <li>• 360° oscillation</li> <li>• Wall-mounted continuous rotary switch</li> <li>• Aluminum motor housing</li> <li>• Powder-coated metal body</li> <li>• With sealed bearing type motor</li> <li>• Equipped with Thermal Cut-Off Fuse (TCO)</li> </ul> |
| 15 | <p>Aircon : 1hp inverter WINDOW TYPE , compact, 230v / single phase / 60Hz, capacity: 10,600 kJ/h 785watts, EER: 13.5, R-32 WITH INSTALLATION (INCLUDES CIRCUIT BREAKER)</p>                                                                                                                                                                                                                                                                                                                                                                                                                  | <p><b>NO CHANGES</b></p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|    | <p><b>LOT 16</b><br/>PR: 509 (CNPRDE)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     | <p><b>LOT 16</b><br/>PR: 509 (CNPRDE)</p>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| 23 | <p><b>Refrigerator 7.6 cu.ft. W 540 x D 625 X H 1,216 mm, 40 kg )gray/black), capacity, total shelf area: 198 L, defrost system: manual with defrost button, no. of fresh food shelves: 2, adjustable door shelves, adjustable fresh food shelves crisper shelf, no. Of door shelves - fresh food: 3, refrigerator light:LED, energy efficient rate: 500, power requirements: 230v/60Hz includes suitable AVR</b></p>                                                                                                                                                                         | <p><b>INVERTER Refrigerator 7.6 cu.ft. gray/black), capacity, total shelf area: 198 L, defrost system: manual with defrost button, no. of fresh food shelves: 2, adjustable door shelves, adjustable fresh food shelves crisper shelf, no. Of door shelves - fresh food: 3, refrigerator light:LED, energy efficient rate: 500, power requirements: 230v/60Hz includes suitable AVR</b></p>                                                                                                                                          |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
|    | <b>LOT 19</b><br>PR: 316 (COAgri)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        | <b>LOT 19</b><br>PR: 316 (COAgri)                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 26 | <p>Ceiling Fan (Sts-18Q, 18 inch plastic blade)<br/><b>Ceiling/Orbit Fan - Banana Type - 18 inches</b></p> <p>AC/DC Type: AC Fans, Fan Type: Wall &amp; Ceiling Fans, Fan Size: 18inches, Fan Speed: 4 Speeds, Number of Fan Blades: 3 Blades, Fan Features: Oscillate, Variable Speed Settings, Weight: 6kg, Input Voltage: 220V, Power Consumption: 95W, Dimension (L x W x H): 32*50*54<br/><b>QTY: 4 UNIT</b><br/><b>UNIT PRICE: 2,281.92</b></p>  | <p>Ceiling Fan (Sts-18Q, 18 inch plastic blade)<br/><b>Ceiling/Orbit Fan - Banana Type - 18 inches</b></p> <p>AC/DC Type: AC Fans, Fan Type: Wall &amp; Ceiling Fans, Fan Size: 18inches, Fan Speed: 4 Speeds, Number of Fan Blades: 3 Blades, Fan Features: Oscillate, Variable Speed Settings, Weight: 6kg, Input Voltage: 220V, Power<br/><b>QTY: 3 UNIT</b><br/><b>UNIT PRICE: 3,042.56</b></p>  |
|    | <b>LOT 20</b><br>PR: 129 (CON)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>LOT 20</b><br>PR: 129 (CON)                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 27 | <p><b>Ventless Portable Air Conditioner</b><br/>1.5 hp inverter grade portable aircon with air purifying filters<br/>Length (Depth) : 36.5 cm<br/>Width: 44.5 cm<br/>Height: 71.5 cm</p>                                                                                                                                                                                                                                                              | <p><b>Ventless Portable Air Conditioner</b><br/>1.5 hp inverter grade portable aircon with air purifying filters</p>                                                                                                                                                                                                                                                                                |
|    | <b>LOT 22</b><br>PR: 149 (CBM)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>LOT 22</b><br>PR: 149 (CBM)                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| 29 | <p><b>Free-standing Airconditioner: 4.0 HP</b>, floor mounted inverter airconditioner, with energy efficient feature<br/>R-32<br/>WITH INSTALLATION (INCLUDES CIRCUIT BREAKER)</p>                                                                                                                                                                                                                                                                                                                                                       | <p><b>Free-standing Airconditioner: 3 TONS</b> floor mounted inverter airconditioner, with energy efficient feature<br/>R-32<br/>WITH INSTALLATION (INCLUDES CIRCUIT BREAKER)</p>                                                                                                                                                                                                                                                                                                      |
| 30 | <p><b>Free-standing Air conditioner: 6.0 HP</b>, floor mounted inverter air conditioner, with energy efficient feature<br/>R-32<br/>WITH INSTALLATION (INCLUDES CIRCUIT BREAKER)</p>                                                                                                                                                                                                                                                                                                                                                     | <p><b>Free-standing Air conditioner: 5 TONS</b>, floor mounted inverter air conditioner, with energy efficient feature<br/>R-32<br/>WITH INSTALLATION (INCLUDES CIRCUIT BREAKER)</p>                                                                                                                                                                                                                                                                                                   |
|    | <b>LOT 26</b><br>PR: 332 (CHE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           | <b>LOT 26</b><br>PR: 332 (CHE)                                                                                                                                                                                                                                                                                                                                                                                                                                                         |

|    |                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 34 | <p><b>18L Intensification Stainless Retort Machine</b>, Portable steam dual heatig Disinfect device; high pressure steam sterilizer; professional level steam sterilizer; automatic sterilizing; Volume 18L; Powere: 220V; Power Output: 2.0KW; Over Pressure Auto-discharging: 0.145-0.165 Mpa; Range of Measurement: max 126°C-128°C; Control mode: Mechanical; Material: Stainless Steel 304; Color: Silver With Supply and delivery</p> | <p><b>18L Intensification Stainless Retort Machine (AUTOCLAVE)</b>, Portable steam dual heatig Disinfect device; high pressure steam sterilizer; professional level steam sterilizer; automatic sterilizing; Volume 18L; Powere: 220V; Power Output: 2.0KW; Over Pressure Auto-discharging: 0.145-0.165 Mpa; Range of Measurement: max 126°C-128°C; Control mode: Mechanical; Material: Stainless Steel 304; Color: Silver With Supply and delivery</p>  |
|    | LOT 27                                                                                                                                                                                                                                                                                                                                                                                                                                      | LOT 27                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| 35 | <p><b>Airconditioning Unit, 2.0 HP</b> Inverter wall mounted with breaker and Installation (10ft) tubing at least one year warranty on parts and service, at least 5 years warranty on compressor R32 refrigerant (with circuit breaker)</p>                                                                                                                                                                                                | <p><b>BRANDED Airconditioning Unit, 3 HP</b> Inverter wall mounted with breaker and Installation (10ft) tubing at least one year warranty on parts and service, at least 5 years warranty on compressor R32 refrigerant (with circuit breaker)</p>                                                                                                                                                                                                                                                                                          |
| TF |                                                                                                                                                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
|    | LOT 28<br>PR: 1262 (VPRDE)                                                                                                                                                                                                                                                                                                                                                                                                                  | LOT 28<br>PR: 1262 (VPRDE)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
| 36 | <p><b>Aircon, Inverter-Type, 2.5 Hp cooling capacity</b>, standard, EER 11 minimum, with remote and timer, with 30 amperes various aircon breaker, standard oversized tubings 60 ft, R22/410 ref, rotary compressor, with free installation/bracket and 1 year warranty and service.</p>                                                                                                                                                    | <p><b>Aircon, Inverter-Type, 2.5 Hp cooling capacity, SPLIT TYPE</b> standard, EER 11 minimum, with remote and timer, with 30 amperes various aircon breaker, 60 ft <b>TUBINGS, R32 REFRIGERATION</b> , rotary compressor, with free installation/bracket and 1 year warranty and service.</p>                                                                                                                                                                                                                                              |
|    |                                                                                                                                                                                                                                                                                                                                                                                                                                             | <p><b>ADDITIONAL REQUIREMENTS:</b></p> <ul style="list-style-type: none"> <li>- <b>CIRCUIT BREAKER IS INCLUDED FOR ALL AIRCONDITIONING UNITS AND BRACKET FOR SMART TV.</b></li> <li>- <b>Site Inspection for all Airconditioning Units AND SMART TV.</b></li> </ul>                                                                                                                                                                                                                                                                         |

For guidance and information of all concerned.



**REY F. POLON**

BAC Vice-Chairperson

Goods and Services